

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A splicing system capable of splicing successive rolls of supply web to provide a continuous web to an applicator, said system comprising:

 a first and second roll of web supported respectively on first and second spindles for directing the first and second webs toward a splicing station;

 a splicing station comprising knife elements for cutting a web passing through the splicing station;

 staging areas where successive ends of the webs to be spliced are placed and held for splicing;

 pinch rollers positioned one on each side of the web for closing on the first web and the free end of the second web to form a splice; and

 a control capable of simultaneously closing the pinch rollers on the web and actuating a knife element to cut the first web.

Claim 2 (original): The splicing system of claim 1 further comprising a first and a second series of rollers for placing a reverse curl in a web being unwound.

Claim 3 (original): The splicing system of claim 1, wherein said staging areas comprise support plates for supporting a free end of the second web, said plates including a device being capable of actively holding the web ends in position on said plates.

Claim 4 (original): The splicing system of claim 3, wherein said device capable of actively holding the web ends in position includes plates having a series of holes for placing subatmospheric pressure on one surface of the web such that the free end of the web remains in place on said plate prior to splicing the web.

Claim 5 (original): The splicing system of claim 1, wherein said knife element comprises a cutting blade fixed along the path of the web, motor means and anvil means for moving the web into the cutting blade to cut the web, and means for separating the anvil and the cutting blade.

Claim 6 (original): The splicing system of claim 5, wherein said cutting blade is positioned between two blocks guarding the cutting blade, said blocks and said anvil each having surfaces adjacent the path of the web, said surfaces being coated with a release agent to prevent the web material from sticking to said anvil surface or to said block surfaces during the cutting operation, said motor means driving said blocks away from said anvil to expose said cutting blade upon operation thereof.

Claim 7 (original): The splicing system of claim 1, wherein said pinch rollers comprise a pair of rollers spaced apart along the path of the web, means for rapidly bringing the rollers toward each other to bring the web therebetween into intimate engagement, and motor means to bring the rollers together.

Claim 8 (original): The splicing system of claim 6, wherein said pinch roller comprises a pair of rollers spaced apart along the path of the web, means for rapidly bringing the rollers toward each other to bring the web therebetween into intimate engagement, and motor means to bring the rollers together and to simultaneously operate the cutting element to cut the first web.

Claim 9 (original): The splicing system of claim 3, wherein a splicing tape is positioned on the second web and extends into the pinch rollers to aid in splicing the first and second webs together.

Claim 10 (original): The splicing system of claim 8, wherein a splicing tape is positioned on the second web and extends into the pinch rollers to aid in splicing the first and second webs together.

Claim 11 (original): The splicing system of claim 3, wherein said applicator is a tape applicator for applying adhesive coated web to a carton.

Claims 12-14 (canceled)

Claim 15 (original): The splicing system of claim 1, wherein said webs comprise a backing selected from the group consisting of paper, polymeric film and combinations thereof.

Claim 16 (original): The splicing system of claim 1, wherein said webs comprise a paper backing.

Claim 17 (original): The splicing system of claim 1, wherein said webs comprise a tacky adhesive.

Claim 18 (original): The splicing system of claim 1, wherein said tacky adhesive is selected from the group consisting of hot melt adhesive, hot melt remoistenable adhesive, water dispersible hot melt adhesive, biodegradable hot melt adhesive and repulpable hot melt adhesive.

Claim 19 (original): The splicing system of claim 9 wherein said splicing tape comprises pressure sensitive adhesive.

Claim 20 (original): The splicing system of claim 15 wherein said backing further comprises a release coating disposed on at least one surface of said backing.